

# IMAGING PAD SPECIFICATIONS

|  |  |
|--|--|
| <p><b>STYLE A</b></p> <p>The diagram for Style A shows a rectangular pad with a raised central section. Dimension A is the height of the base. Dimension B is the height of the first step up. Dimension C is the height of the second, higher step. Dimension D is the width of the top surface. Dimension E is the thickness of the top surface. Dimension F is the thickness of the base. WIDTH and LENGTH are the overall dimensions of the base.</p>                        | <p><b>STYLE B</b></p> <p>The diagram for Style B shows a rectangular pad with a raised central section and a beveled top edge. Dimension A is the height of the base. Dimension B is the height of the first step up. Dimension C is the height of the second, higher step. Dimension D is the width of the top surface. Dimension E is the thickness of the top surface. Dimension F is the thickness of the base. WIDTH and LENGTH are the overall dimensions of the base.</p>                                     |
| <p><b>STYLE C</b></p> <p>The diagram for Style C shows a rectangular pad with a raised central section and a rounded top edge. Dimension A is the height of the base. Dimension B is the height of the first step up. Dimension C is the height of the second, higher step. Dimension D is the width of the top surface. Dimension E is the thickness of the top surface. Dimension F is the thickness of the base. WIDTH and LENGTH are the overall dimensions of the base.</p> | <p><b>PAD SPECIFICATIONS:</b></p> <ul style="list-style-type: none"> <li><input type="checkbox"/> STANDARD</li> <li><input type="checkbox"/> ULTRA COMFORT (min. 3" thickness)</li> <li><input type="checkbox"/> BLACK COVER FABRIC</li> <li><input type="checkbox"/> GREY COVER FABRIC</li> </ul> <p>WIDTH _____</p> <p>LENGTH _____</p> <p>THICKNESS _____</p> <p>A = _____</p> <p>B = _____</p> <p>C = _____</p> <p>D = _____</p> <p>E = _____</p> <p>F = _____</p> <p>NOTES: _____</p> <p>_____</p> <p>_____</p> |

**INSTRUCTIONS:**

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.

All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

**CUSTOMER NAME:**

\_\_\_\_\_




**DIMENSIONS CONFIRMED BY:**

\_\_\_\_\_

**DATE:**

\_\_\_\_\_

# IMAGING PAD SPECIFICATIONS



**PAD SPECIFICATIONS:**

- STANDARD
- ULTRA COMFORT (min. 3" thickness)
- BLACK COVER FABRIC
- GREY COVER FABRIC

WIDTH \_\_\_\_\_

LENGTH \_\_\_\_\_

THICKNESS \_\_\_\_\_

A = \_\_\_\_\_

B = \_\_\_\_\_

C = \_\_\_\_\_

D = \_\_\_\_\_

E = \_\_\_\_\_

F = \_\_\_\_\_

G = \_\_\_\_\_

NOTES: \_\_\_\_\_

\_\_\_\_\_

**INSTRUCTIONS:**

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.

All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

**CUSTOMER NAME:**

\_\_\_\_\_

**DIMENSIONS CONFIRMED BY:**

\_\_\_\_\_

**DATE:**

\_\_\_\_\_

# IMAGING PAD SPECIFICATIONS

|                                    |   |
|------------------------------------|---|
| <p><b>STYLE G</b></p>              | <p><b>STYLE H</b></p>   |
| <p><b>STYLE J<br/>(2 PART)</b></p> | <p><b>PAD SPECIFICATIONS:</b></p> <p><input type="checkbox"/> STANDARD</p> <p><input type="checkbox"/> ULTRA COMFORT (min. 3" thickness)</p> <p><input type="checkbox"/> BLACK COVER FABRIC</p> <p><input type="checkbox"/> GREY COVER FABRIC</p> <p>WIDTH _____</p> <p>LENGTH _____</p> <p>THICKNESS _____</p> <p>A = _____</p> <p>B = _____</p> <p>C = _____</p> <p>D = _____</p> <p>E = _____</p> <p>F = _____</p> <p>NOTES: _____</p> <p>_____</p> <p>_____</p> |

## INSTRUCTIONS:

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.

All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

**CUSTOMER NAME:**

\_\_\_\_\_


**DIMENSIONS CONFIRMED BY:**

\_\_\_\_\_

**DATE:**

\_\_\_\_\_

# IMAGING PAD SPECIFICATIONS

|   |   |
|---|---|
| <p><b>STYLE K</b></p>  | <p><b>PAD SPECIFICATIONS:</b></p> <p><input type="checkbox"/> STANDARD</p> <p><input type="checkbox"/> ULTRA COMFORT (min. 3" thickness)</p> <p><input type="checkbox"/> BLACK COVER FABRIC</p> <p><input type="checkbox"/> GREY COVER FABRIC</p> <p>WIDTH _____</p> <p>LENGTH _____</p> <p>THICKNESS _____</p> <p>A = _____      G = _____</p> <p>B = _____      H = _____</p> <p>C = _____      J = _____</p> <p>D = _____      K = _____</p> <p>E = _____      L = _____</p> <p>F = _____      M = _____</p> <p>NOTES: _____</p> <p>_____</p> <p>_____</p> |
|---|---|

## INSTRUCTIONS:

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.

All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

**CUSTOMER NAME:**

\_\_\_\_\_

**DIMENSIONS CONFIRMED BY:**

\_\_\_\_\_

**DATE:**

\_\_\_\_\_