




IMAGING PAD SPECIFICATIONS

<p>STYLE A</p> 	<p>STYLE B</p> 
<p>STYLE C</p> 	<p>PAD SPECIFICATIONS:</p> <ul style="list-style-type: none"> <input type="checkbox"/> STANDARD <input type="checkbox"/> ULTRA COMFORT (min. 3" thickness) <input type="checkbox"/> BLACK COVER FABRIC <input type="checkbox"/> GREY COVER FABRIC <p>WIDTH _____</p> <p>LENGTH _____</p> <p>THICKNESS _____</p> <p>A = _____</p> <p>B = _____</p> <p>C = _____</p> <p>D = _____</p> <p>E = _____</p> <p>F = _____</p> <p>NOTES: _____</p> <p>_____</p> <p>_____</p>

INSTRUCTIONS:

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.




All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

CUSTOMER NAME:

DIMENSIONS CONFIRMED BY:

DATE:

IMAGING PAD SPECIFICATIONS



PAD SPECIFICATIONS:

- STANDARD
- ULTRA COMFORT (min. 3" thickness)
- BLACK COVER FABRIC
- GREY COVER FABRIC

WIDTH _____

LENGTH _____

THICKNESS _____

A = _____

B = _____

C = _____

D = _____

E = _____

F = _____

G = _____

NOTES: _____

INSTRUCTIONS:

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.

All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

CUSTOMER NAME:

DIMENSIONS CONFIRMED BY:

DATE:

IMAGING PAD SPECIFICATIONS

<p>STYLE G</p>	<p>STYLE H</p>
<p>STYLE J (2 PART)</p>	<p>PAD SPECIFICATIONS:</p> <p> <input type="checkbox"/> STANDARD <input type="checkbox"/> ULTRA COMFORT (min. 3" thickness) <input type="checkbox"/> BLACK COVER FABRIC <input type="checkbox"/> GREY COVER FABRIC </p> <p> WIDTH _____ LENGTH _____ THICKNESS _____ A = _____ B = _____ C = _____ D = _____ E = _____ F = _____ </p> <p>NOTES: _____</p> <p>_____</p> <p>_____</p>

INSTRUCTIONS:

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.


All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

CUSTOMER NAME:

DIMENSIONS CONFIRMED BY:

DATE:

IMAGING PAD SPECIFICATIONS

<p>STYLE K</p>  <p>The diagram shows a rectangular mattress pad with a central rectangular area labeled 'LENGTH' and a bottom rectangular area labeled 'WIDTH'. Dimensions are indicated by arrows and letters in circles: A (bottom left corner), B (top left corner), C (left side), D (left side), E (top left corner), F (top width), G (top right corner), H (right side), J (right side), K (bottom right corner), and L (bottom right corner).</p>	<p>PAD SPECIFICATIONS:</p> <p><input type="checkbox"/> STANDARD <input type="checkbox"/> ULTRA COMFORT (min. 3" thickness) <input type="checkbox"/> BLACK COVER FABRIC <input type="checkbox"/> GREY COVER FABRIC</p> <p>WIDTH _____ LENGTH _____ THICKNESS _____</p> <p>A = _____ G = _____ B = _____ H = _____ C = _____ J = _____ D = _____ K = _____ E = _____ L = _____ F = _____ M = _____</p> <p>NOTES: _____ _____ _____</p>
---	---

INSTRUCTIONS:

Please fill out all measurements, thickness and choice of standard or Ultra Comfort pad in space provided. Note that Ultra Comfort is available in min. of 3" thickness.

All NAMC tabletop pads are conductive, hypoallergenic, bacteria-resistant, compliant with fire code regulations and radiolucency requirements, and are latex free.

CUSTOMER NAME:

DIMENSIONS CONFIRMED BY:

DATE:
